PREDIABETES







86 million American adults-more than 1 out of 3-have prediabetes

people with prediabetes do not know they have it







People who have diabetes are at higher risk of serious health complications:









STROKE



LOSS OF TOES, FEET, OR LEGS

YOU CAN PREVENT TYPE 2 DIABETES

FIND OUT IF YOU HAVE PREDIABETES -See your doctor to get your blood sugar tested



eat healthy be more active lose weight

JOIN A CDC-RECOGNIZED diabetes prevention program



LEARN MORE FROM CDC AND TAKE THE **PREDIABETES RISK QUIZ** AT http://www.cdc.gov/diabetes/prevention

REFERENCES

Centers for Disease Control and Prevention. National diabetes statistics report: estimates of diabetes and its burden in the United States, 2014. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2014.

Knowler WC, Barrett-Conner E, Fowler SE, et al; Diabetes Prevention Program Research Group. Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. N Engl J Med 2002;346:393-403. As cited in March 22, 2013, MMWR.

Tuomilehto J, Lindstom J, Eriksson J, et al; Finnish Diabetes Prevention Study Group. Prevention of type 2 diabetes mellitus by changes in lifestyle among subjects with impaired glucose tolerance. N Engl J Med 2001; 344:1343-1350.

CDC's Division of Diabetes Translation works toward a world free of the devastation of diabetes.